

*Your first choice  
for Garment Finishing  
Equipments*

एन एस आई सी  
**NSIC**



 **sunrise**®

**Garment Machinery Private Ltd.**



**Garment Finishing Series**

## PORTABLE STEAM GENERATOR



Suitable for sampling, small dress making factories, tailors etc. Equipped with electronic low level water controller, water level gauge, pressure gauge, warning lighting for the “ steam ready ” signal, buzzer for low water level, solenoid steam flow valve with adjustable knob, safety water cap, steam blow down valve, individual power switch for separate heating of the boiler and the iron, Iron resting silicon mat, antenna for the iron cables holding, and water manually filling.

Model	Alfa	Alfa	Alfa	Alfa Duo	Alfa Duo Auto	Alfa Auto	Alfa Auto
Model No.	SGPB 05	SGPB 09	SGPB 08	SGPB 14	SGPB 04	SGPB 06	SGPB 7.5
Water Capacity/Manual	5.5 Ltrs	9 Ltrs	8 Ltrs	14 Ltrs	-	-	-
Electrical Steam Iron	1	1	1	2	2	2	2
All Steam Iron	-	-	-	-	-	2	2
Running hours	4	6	4	4	Auto with Pump	Auto with Pump	Auto with Pump
Boiler Power Consumption	1.5kw, 1ph	2kw, 1ph	2kw, 1ph	4kw, 3ph	H/4kw.P/.5kw	H/6kw.P/.5kw	H/7.5kw.P/.5kw
Steam Iron Power Consumption	0.8kw	0.8kw	0.8kw	1.6kw	1.6kw	1.6	1.6
Steam Pressure	3-4 kgs	3-4 kgs	3-4 kgs	3-4 kgs	4 kgs	4	4
Dimension in cm	33x28x41	33x28x41	33x28x41	33x28x41	24x13x36	24x13x36	24x13x36
Weight Kgs w/o Iron	12.5	14.5	12.5	22.5	32.5	37	41
Weight Kgs with Iron	16	19	16	28.5	49	55	57

## VACUUM IRONING TABLE



Vacuum flat top table special for large garments. Perfect finish upon pressing of the garments through the suction device as removes all marks and shines of under pressing. Foot-pedal for autonomous function of suction. Interchange of suction between the table and the swivelarm.

Model Name	Uniflow	Uniflow	Uniflow	Uniflow	Hiflow	Hiflow	Hiflow
Model No.	SGVT-2x3	SGVT-4 x 3	SGVT-130x80	SGVT-125x80	SGVT-180x80	SGVT-5x4S	SGVT-5x4D
Working surface in cm	92x61	122x91	130x80	125 x 80	180x80	153x122	153x122
Adjustable height in cm	80x85x90	80x85x90	80x85x90	80x85x90	-	-	-
No. of Motors	1	1	1	1	2	1	2
Power Consumption	0.75hp 1ph/3h	0.75hp 1ph/3h	0.75hp 1ph/3h	0.75hp 1ph	1.50hp 1ph/3h	0.75hp 1ph/3h	1.5hp 1ph/3h
Dimension in cm	135x61x90	122x91x90	128x80x90	135x51x90	180x80x90	68x47x35	68x47x35
Weight Kgs(approx)	43	80	76	70	90	100	120

## STEAMAX ELECTRICAL STEAM GENERATOR



All boiler functions are electronically controlled through a brain-card. Malfunctions warning Touch buttons keyboard-Main switch for the power ON/OFF. Water is fed by a built-in tank. with built-in water pump 0.5/1HP. Steamax has fully automatic steam boilers meets safety standard and regulations. Equipped with electronic water level controller, water level gauge, pressure gauge, warning lighting for the "steam ready" signal, high steam safety buzzer, pressure safety valve and steam blow down valve.

Model	Steam Max	Steam Max	Steam Max	Steam Max	Steam Max	Steam Max	Steam Max	Steam Max
Model No.	SGEB 06	SGEB 09	SGEB 12	SGEB 15	SGEB 18	SGEB 27	SGEB 45	SGEB 63
Heating Power	6kw	9kw	12kw	15kw	18kw	27kw	45kw	63kw
No. of Heaters	1	1	1	1	1	2	3	4
Water Pump	0.75 hp	0.75 hp	1 hp	1 hp	1 hp	1 hp	1 hp	1 hp
Power Supply	3p 440V, 50Hz	3p 440V, 50Hz	3p 440V, 50Hz	3p 440V, 50Hz	3p 440V, 50Hz	3p 440V, 50Hz	3p 440V, 50Hz	3p 440V, 50Hz
Steam Pressure	5 Bar	5 Bar	5 Bar	5 Bar	5 Bar	5 Bar	5 Bar	5 Bar
Steam Consumption (Approx)	7.8 kg/h	12 kg/h	16 kg/h	19.5 kg/h	24 kg/h	30 kg/h	60.6 kg/h	80 kg/h
Steam Iron Connected	2	3	4	5	6	10-12	14-16	20-22
All Steam Iron Connected	-	-	2-3	3-4	4-5	8-9	10-12	16-20
Dimension in cm	71x56x79	71x56x79	66x61x86	66x61x86	66x61x86	95x58x102	-	-
Weight Kgs (Approx)	77	77	83	83	83	108	-	-

## DIESEL / GAS STEAM GENERATOR



Marvel / Jumbo features advance technologically design fire tube non-IBR steam generators. They produces quick and dry steam due to large heating surface and high efficient imported Burners. With low Co2 content exhaust maintaining and clean combustion makes it almost pollutant-free. This boiler comes either with imported diesel fuel low emission burner or with imported gas burner.

Model Name	Marvel	Marvel(Gas)	Jumbo	Jumbo(Gas)	Jumbo
Model No.	SGDB-30	SGGB-30	SGDB-50	SGGB-50	SGDB-100
Power Consumption	1KW	1KW	1KW	1KW	1KW
Power Supply	230V 50Hz	230V 50Hz	230V 50Hz	230V 50Hz	230V 50Hz
Fuel type	Diesel	LPG	Diesel	LPG	Diesel
Steam Pressure	5 Bar	5 Bar	5 Bar	5 Bar	5 Bar
Steam Iron	6	6	12	12	24
All Steam Iron	4	4	8	8	16
Diesel Cons. LIT. Per/h	0.5-2.0 Ltrs	-	0.5-3.0 Ltrs	-	4-5 Ltrs
Dimension cm	150x66x112	150x66x112	168x66x117	168x71x117	180 x 90 x 105
Weight Kgs (Approx)	298	310	360	370	450

## STAIN REMOVING



Stain free popular is silent, efficient and reliable. It provides an effective stain removal with fabric friendly and eco friendly chemicals and ensures drying without ring marks. Popular is equipped with two chemical guns, an air/steam gun and high vacuum unit.

Model	Stain Free Mini	Stain Free Popular	Stain Free Popular	Stain Free Midget	Stain Free Midget	Stain Free TriStar	Stain Free TriStar
Model No.	SGSRM-01	SGSRM-02	SGSRM-02B	SGSRM-03	SGSRM-03B	SGSRM-04/3cg	SGSRM-04/6cg
Motor	1	1	1	1	1	1	1
Power Supply	3ph 440v, 50hz	3ph 440v, 50hz	3ph 440v, 50hz	3ph 440v, 50hz	3ph 440v, 50hz	3ph 440v, 50hz	3ph 440v, 50hz
Boiler	-	-	With Boiler	-	With Boiler	-	-
Power Consumption	0.3 Kw	0.5 Kw	4.5 Kw	2.1 Kw	4.5 Kw	2.25 Kw	2.25 Kw
Steam Required	5Kg Per hr	5Kg Per hr	5Kg Per hr	10Kg Per hr	10Kg Per hr	15Kg Per hr	15Kg Per hr
Air Compressor Required	2hp	2hp	2hp	3hp	3hp	5hp	5hp
Air Pressure Required	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar	8 Bar
Chemical Guns	1	2	2	2	2	3	6
Steam Air Guns	1	1	1	2	2	3	3
Dimension in cm	127x53x99	117x64x104	117x64x104	110x71x107	110x71x107	130x130x203	130x130x203
Weights Kgs (approx)	49	60	75	55	65	80	85

## NEEDLE DETECTOR



Needle Detector has self-driving, environment friendly and electricity saving design. The counter on the manipulator can effectively calculate certified and uncertified products and their gross. The lighting indicator for sensitivity and inductance indicates the anti jamming intensity and check up capacity of the machine directly.

Model Name	JZQ-630(K)	JZQ-630(K)	JZQ-630(K)	JZQ-630(K)	JZQ-630(K)
Detection Method	Magnetic Field Induction, Digital circuit	Magnetic Field Induction, Digital circuit	Magnetic Field Induction, Digital circuit	Magnetic Field Induction, Digital circuit	Magnetic Field Induction, Digital circuit
Detection Sensitivity	FeΦ0.8mm-1mm	FeΦ1.0mm-1.2mm	FeΦ1.2mm-1.5mm	FeΦ1.7mm-2.0mm	FeΦ2.2mm-2.5mm
Detection Adjustment	1-10 level	1-10 level	1-10 level	1-10 level	1-10 level
Detection Width	600mm & custom build machine	600mm & custom build machine	600mm & custom build machine	600mm & custom build machine	600mm & custom build machine
Detection Height	100mm & custom build machine	150mm & custom build machine	200mm & custom build machine	250mm & custom build machine	300mm & custom build machine
Alarm Method	Sound/Light/Mc stop/Conveyor Return	Sound/Light/Mc stop/Conveyor Return	Sound/Light/Mc stop/Conveyor Return	Sound/Light/Mc stop/Conveyor Return	Sound/Light/Mc stop/Conveyor Return
Power Supply	Ac220V 50-60Hz	Ac220V 50-60Hz	Ac220V 50-60Hz	Ac220V 50-60Hz	Ac220V 50-60Hz
Power	60W	60W	60W	60W	60W
Machine Size	1650L x 1050W x 1100H	1650 L x 1050 W x 1050 H	1650L x 1050W x 1100H	1650L x 1050W x 1150H	1650L x 1650W x 1200H
Net Weight	210kg	230kg	250kg	270kg	290kg

## MACHINES FINISHING



Seam Buster



Thread Sucking



Shirt Folding

Model Name	Hiflow Seam Buster	Sleek Auto	Hiflow Folder
Model No.	SGBS-01	SGT-02	SGSF-02
Motor	1	1	-
Power Supply	230V/440B, 50HZ	440B, 50HZ	230V/440B, 50HZ
Power Consumption	0.75 hp	3 hp	0.5 hp
Air Pressure/Max. Consumption	-	-	6Bar/50lts/min
Buck size	6 x 120	-	-
Dimension in cm	145x50x107	54x26x55	71x115x82
Weights Kgs	140	90	90




Steamer



All Steam Press



Electrical Steam



Bucks



Spares



Bottle Iron

## LAUNDRY SERIES



Vertical Washing



Hydro Extractor



Tumble Dryer



Washer Extractor



Flat Work Ironer



Auto Folder



Dry Cleaning machine



Washer Extractor



Body Press

# sunrise<sup>®</sup>

Garment Machinery Private Ltd.

AN ISO 9001 : 2015 Certified Company



080- 23480092

### Corporate Office :

928/928, 4th Main, Magadi Main Road, Kaveripura, Kamakshipalya, Bangalore – 560079. Karnataka. INDIA.  
Phone: +91 80-23484038, 23480089, 23480092, Fax +91 80-23484041 Mobile: +91 9343672012, 9343152029  
email: corporate@sunrisegmpl.in, sales@sunrisegmpl.in, laundry@sunrisegmpl.in, Web : www.sunrisegmpl.com

### Sales & Service Offices

- |             |                  |               |                    |
|-------------|------------------|---------------|--------------------|
| ■ Ahmedabad | : +91-9374083317 | ■ Kerala      | : +91-9895330593   |
| ■ Bellary   | : +91-9343672011 | ■ Kolkatta    | : +91-9831177105   |
| ■ Chennai   | : +91-8122286399 | ■ Madurai     | : +91-9842123743   |
|             | +91-9380692779   | ■ Mumbai      | : +91-9320242053   |
| ■ New Delhi | : +91-9873560457 | ■ Pondicherry | : +91-9943071094   |
| ■ Gurgaon   | : +91-9873560457 | ■ Raydurg     | : +91-9343672011   |
| ■ Hyderabad | : +91-9848407138 | ■ Tirupur     | : +91-8122286399   |
| ■ Jaipur    | : +91-9414070006 | ■ Salem       | : +91-9943070103   |
| ■ Karur     | : +91-9994965595 | ■ Vijayawada  | : +91 - 7731938884 |